

battery type: Alkaline Manganese Dioxide
battery size: LR41; LR736; AG3; 392
chemical system: Zn / KOH-H₂O / MnO₂

Conditions

nominal voltage: 1.5 V
open circuit voltage: 1.57...1.63 V new battery
 1.55...1.63 V after 1 year storage at 20°C

all measurements at 22 ± 2°C ambient

capacity rated: 30 mAh discharge at 22kΩ load; 24hours/day
 End Voltage (EV): 1.0V

minimum: 25 mAh discharge at 22kΩ load; 24hours/day
 End Voltage (EV): 1.0V


Service Output

nominal: 395 h at 22kΩ load new battery
 EV: 1.2V

minimum: 365 h dto. tested within 30 days after delivery
 330 h dto. after 12 months storage at room temperature

for IQC measurement
 at 1kΩ load
 EV: 1.0V

Discharge diagrams:




shelf life: 3 years under proper storage conditions (ta: ≤ 22°C; RH: 60 ± 15%)
 ≥90 % of the capacity will remain after 12 months storage

operating temperature range: - 20...60 °C

mechanical specifications:

dimensions:
 A 7.55... 7.90mm
 B 2.95... 3.20mm
 C 3.30... 3.60mm



nominal weight: 0.7 g



blister card
 dimensions:
 85 x 120mm
 weight:
 8.5g (incl. battery)

	ANSMANN Specifications for model:	4 x LR41 Alkaline Button Cell Hycell blister package
	data sheet no. / part no.	1516-0025
	supplier no.	701381
	author / date	TG / 18.06.2013