



### **Smart Wireless Peephole Network Camera**

## Easy DIY Installation IC-6220DC

The IC-6220DC is a newly developed wireless door camera that fits existing peepholes and is the only peephole camera available with remote smartphone app viewing. For safety, convenience and peace-of-mind. The original hole can still be used as a traditional peephole when you need a quick, old-fashioned glance — while the modern camera features an advanced motion detection system with passive infrared sensor (PIR) and mobile push notifications, as well as powerful night vision for clear views in the dark.



Universal Design Fits any door Thickness.



PIR Sensor Heat-based motion detection.



Battery Powered Wireless and hassle-free.



Cloud Storage For real time remote backup.



microSD Slot For local storage.



**2-way Audio**Answer the door from anywhere.

# Smart Wireless Peephole Network Camera Easy DIY Installation

#### **Key Features**

EDIMAX

- Unique, universal design fits any door thickness.
- See your door's peephole on your smartphone.
- Passive infrared (PIR) sensor for motion detection.
- Two-way audio. See who's out there and answer your door from anywhere.
- Easy DIY installation with Plug-n-View for configuration-free setup.
- Flexible Storage Options: Recordings can be saved to microSD, SDHC, NAS, Google Drive or Dropbox\*.

#### Hassle Free DIY Installation

Unique design fits any door thickness

- Digital view or peephole view at the same time.
- Installation has never been so easy.
- Just a few DIY steps and clicks on your smart phone.



- 1. Take out the existing peephole viewer.
- Install the outdoor unit through your peephole.
- 3. Attach the indoor unit on the other side.



# Smart Wireless Peephole Network Camera Easy DIY Installation

IC-6220DC



#### Live view and two-way audio

Built-in high-quality microphone and speaker for two-way voice communication, so you can view & talk with whoever's there from anywhere.






## **Smart Wireless Peephole Network Camera** Easy DIY Installation

IC-6220DC

**EdiLife** 

Free app available

More Info



### **Specifications**

**IC-6220DC** Smart Wireless Peephole Network Camera

Dimensions	<ul> <li>Camera: Oudoor Unit: Φ120 x 32.5mm(D), Indoor Unit: Φ75 x 25.5mm(D)</li> <li>Wireless Receiver: 105mm(H) x 30.5mm(W)x 21mm (D)</li> </ul>
Camera	<ul> <li>Min Illumination: Daylight &lt; 5 Lux to turn on IR light, 0 Lux when IR on</li> <li>Sensor: 1/6.5" CMOS</li> <li>Lens: 2.59mm / F2.8</li> <li>Viewing Angle: Digital 90° / Peephole 150°</li> <li>Night View: IR LED * 2, upVto 3 meters (1.5M for clear image)</li> </ul>
Connectivity	<ul><li>IEEE 802.3/802.3u</li><li>2.4G FHSS / 1 detachable antenna</li></ul>
Video	<ul> <li>MJPEG video compression</li> <li>640 x 480 up to 15 fps / 320 x 240 up to 30 fps</li> <li>Resolution: VGA (640 x480), QVGA (320 x 240),</li> <li>Frame rate: 5, 10, 15, 20, 24 or 30 fps</li> </ul>
Audio	Built-in microphone & speaker     Two-way audio
Management	<ul> <li>EdiLife: free mobile app for iPhone, iPad &amp; Android</li> <li>EdiVeiw Finder: web management interface fro Windows/Mac</li> <li>Firmware upgradable</li> </ul>
Features	<ul> <li>PIR sensor, motion/sound detection triggered recording and alerts to MicroSD/SDHC card, email and FTP</li> <li>Supports 64G microSD/SDHC card slot for local storage</li> <li>Extend free cloud storage to personal accounts or other 3rd party storage options</li> </ul>

Power Wireless Receiver- 12VDC/1A Camera: AA Battery x 4

**Operating Conditions** 0–40°C, Humidity: 20–80% RH (non-condensing)

Edimax Technology Co., Ltd

New Taipei City 24891, Taiwan

Email: sales@edimax.com.tw

6F., No.3, Wu-Chuan 3rd Road, Wu-Gu,





<sup>\*</sup>Free cloud storage to personal Google Drive, Dropbox or other 3rd party accounts. Edimax reserves the right to extend or change 3rd party list.

<sup>\*</sup>Actual viewing resolution and frame rate of network cameras depend on connection speed. \*Maximum performance, actual data rates, and coverage will vary depending on network conditions and environmental factors. Product specifications and design are subject to change without notice.

Copyright © 2016 Edimax Technology Co. Ltd. All rights reserved.