

PRODUCT DATASHEETPLANON PLUS 600x600 30 W

PLANON Plus | Slim panel luminaires for surface mounting





AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceilings

PRODUCT BENEFITS

- Very homogenous light
- Quick and simple installation by one person

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology



TECHNICAL DATA

Electrical data


Nominal wattage	30.00 W	
Operating mode	Integrated LED driver	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

Photometrical data

Color temperature	27006500 K	
Color rendering index Ra	>80	
Light color (designation)	Warm White/Cool White/Daylight	
Luminous flux	2800 lm	
Luminous efficacy	93 lm/W	

Light technical data

Dimensions & weight



Length	595.0 mm
Width	595.0 mm
Height	46.6 mm
Product weight	3457.00 g

Colors & materials

Body material	Aluminum
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	-20+40 °C

Lifespan

Number of switching cycles	25000
----------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Ceiling

Capabilities

Dimmable	Yes
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH

EQUIPMENT / ACCESSORIES

- Pre-assembled mounting kit, screws and dowels included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075267923	Folding carton box 1	61 mm x 655 mm x 625 mm	4048.00 g	24.98 dm ³
4058075267930	Shipping carton box 4	647 mm x 267 mm x 688 mm	17292.00 g	118.85 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.