

# AM\_BLS\_TYREinflate 200

Template: ZOT 10000028

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

## AM\_BLS\_TYREinflate 200



**AM\_BLS\_TYREinflate 200**

Template: ZOT 10000028

Page 2 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

**Product information**

Dimensions (length, width, height)	177mm X 79mm X 197mm
Product weight (kg)	0.662 kg
Colour Box Dimensions (length, width, height) EAN-010	186mm X 83mm X 203mm
Nominal Voltage	12V
Power Source	12V Plug via 12V Vehicle Socket (Cigarette Lighter)
Max. Current (Fuse included)	10A
Maximum power	120W
Cable Length (m)	3,0m
Air Hose Length (cm)	50cm
Display Type	Analogue
Gauge / Display Size (mm)	50mm
Gauge / Display Reading	bar, PSI, kPa
Max. Pressure Reading	100PSI / 7bar
Inflation Time (13" tyre 0 to 2,5bar)	4min 30sec
Operation time	Up to 15min
Rest Time	Min. 15min
Guarantee	2 years
Additional features	Wind-up cable, Valve cap holder, Adapters
Product certification	CE, EMC, REACH, RoHS
LED	N/A

**AM\_BLS\_TYREinflate 200**

Template: ZOT 10000028

Page 3 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

**Successive listing of changes (Änderungsfortschreibung)**

Issue (Ausgabe):	Reason for change (Änderungsgrund):
07/09/2020	First edition (Erstausgabe)