

# AM\_BLS\_TYREinflate 1000

Template: ZOT 10000028

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

# AM\_BLS\_TYREinflate 1000



**AM\_BLS\_TYREinflate 1000**

Template: ZOT 10000028

Page 2 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000**Product information**

Dimensions (length, width, height)	200mm X 88mm X 219mm
Product weight (kg)	1.356 kg
Colour Box Dimensions (length, width, height) EAN-010	245mm X 95mm X 230mm
Nominal Voltage	12V
Power Source	12V Plug via 12V Vehicle Socket (Cigarette Lighter)
Max. Current (Fuse included)	15A
Maximum power	180W
Cable Length (m)	3,5m
Air Hose Length (cm)	70cm
Display Type	Digital
Gauge / Display Size (mm)	W76mm X H48mm
Gauge / Display Reading	bar, PSI, kPa
Max. Pressure Reading	100PSI / 7bar
Inflation Time (13" tyre 0 to 2,5bar)	2min 00sec
Operation Time	Up to 15min
Rest Time	Min. 15min
Guarantee	2 years
Additional features	Wind-up cable, Valve cap holder, Adapters, Storage Case, Auto-Stop & pre-set function, Gloves & Spare Valve Caps
Product certification	CE, EMC, REACH, RoHS
LED	Directional

# AM\_BLS\_TYREinflate 1000

Template: ZOT 10000028

Page 3 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;  
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

## Successive listing of changes (Änderungsfortschreibung)

Issue (Ausgabe):	Reason for change (Änderungsgrund):
08.09.2020	First edition (Erstausgabe)