





MASTER UltraEfficient LED bulb

MAS LEDBulbND7.3-100WE27830 A70 CLG UE

This is the most efficient LED bulb from Philips brand. 210lm/W helps to concrete the company statement of sustainability. 50000 hour lifetime helps to extend the replacement cycle to reduce the waste. This is not only the high SPEC product, but also keep the light quality of Philips brand

Product data

General information		
Cap-Base	E27 [E27]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	50000 h	
Switching Cycle	50000X	
Flux measurement reference	Sphere	
Light technical		
Color Code	830 [CCT of 3000K]	
Luminous Flux (Nom)	1535 lm	
Color Designation	White (WH)	
Correlated Color Temperature (Nom)	3000 K	
Luminous Efficacy (rated) (Nom)	210 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	7.3 W
Lamp Current (Nom)	70 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	70 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Clear


Datasheet, 2022, August 12 data subject to change

MASTER UltraEfficient LED bulb

Bulb Shape	A70 [A 70mm]
Approval and application	
Energy Efficiency Class	A
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	1099137
Product data	
Full product code	871951443591900

Order product name	MAS LEDBulbND7.3-100WE27830 A70 CLG UE
EAN/UPC - Product	8719514435919
Order code	929003480602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929003480602
Net Weight (Piece)	0.050 kg


Dimensional drawing



MAS LEDBulbND7.3-100WE27830 A70 CLG UE


Product D C MAS LEDBulbND7.3-100WE27830 A70 CLG UE 70 mm 127 mm

Photometric data



Colosius Processerica 4.5 Philips Lighting 6.9. Page 177


General uniform lighting



Light Distribution Diagram


MASTER UltraEfficient LED bulb


Photometric data



Spectral Power Distribution Colour

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.