



## IN1Q

### 4MP WiFi Indoor C

- ▶ Motion Detection/sound
- ▶ Motion zone selection
- ▶ Two-way audio (Half-dup)
- ▶ Support WebRTC
- ▶ Support Google & Alexa
- ▶ Support Onvif

Camera	
Image Sensor	1/3" 4Megapixel CMOS
Effective Pixels	2560(H) x 1440(V)
Shutter	1/20~1/10,000s
Min. Illumination	Color 0.1Lux@F2.0 Black/White 0.01Lux@F2.0
IR Distance	Night visibility up to 10m
Day/Night	Auto(ICR)Color/B&W
WDR	DWDR
Lens&FOV(H/V/D)	3.6mm@F2.0, 82°/45°/95°

Video&Audio	
Compression	H.264+
Bit Rate	32Kbps~2Mbps
Frame Rate	1~20fps
Dual Stream	Yes
Audio Input/Output	Built-in mic/speaker

Network	
Alarm Trigger	Motion Detection/sound
Wireless Security	64/128-bit WPA/WPA2, WPA3
Communication Protocol	HTTP, DHCP, DNS, TCP/IP
Interface Protocol	Private

Wireless	2.4G WIFI (IEEE802.11b/g)
Mobile Phone OS	iOS 9 or later, Android 5 c
Security	AES128


<b>General</b>	
Operating Temperature	-20 °C to 50 °C
Power Supply	DC 5V/1A
IP Rating	/
Storage	SD card(Max.265GB), Clou
Dimensions	60 x 53 x 103mm
Net Weight	80g

Hangzhou Arenti Technology Co., Ltd. All rights reserved.

camera

detection

plex)



---

---

---

0


---

---

---

---

5°



---

---

---

---

---

---

detection

WPA-PSK/WPA2-PSK, WPS

, RTSP

---

---

