

PRODUCT DATASHEET

LED FLAT 20 W 2700 K

Slim design | Slim LED luminaires with LED module



AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Kitchens, workspaces

PRODUCT BENEFITS

- Very slim design
- Energy savings of up to 80 % compared to luminaires using conventional lamps
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



TECHNICAL DATA

Electrical data

Nominal wattage	20.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz


Photometrical data

Color temperature	2700 K
Color rendering index Ra	80
Light color (designation)	Warm White
Luminous flux	1200 lm
Luminous efficacy	60 lm/W

Light technical data

Beam angle	180 °
------------	-------

Dimensions & weight



Diameter	380.0 mm
Height	29.0 mm
Product weight	710.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	Gray
Housing color	Gray
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Number of switching cycles	50000
-----------------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Ceiling / Wall

Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075228399	Folding carton box 1	385 mm x 35 mm x 388 mm	759.00 g	5.23 dm ³
4058075228405	Shipping carton box 10	399 mm x 366 mm x 405 mm	8093.00 g	59.14 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.